


# Metric hex tapped / threaded spacers





## Details du produit

#### **Description**

This hexagonal male/female threaded spacer is used to separate and support two components leaving a space between them for insulation and cooling/air flow purposes. It require a threaded fastener to complete the assembly.

#### **Advantages**

These spacers combine strength and rigidity within a lightweight component. The male thread at on end making installation easy.

#### **Qualities**

Manufactured in black polyamide as standard, these spacers are also available in black glass fibre reinforced Polyamide (PAGF)

### usage

Mostly, but not exclusively, used in the electric  $\!\!/$  electronics industry, or wherever components need to be separated.

d	н	L	М	P1	P2	Minimum sales Quantity	SKU
МЗ	6,0	8,0	3	8,0	5,0	1000	MF36858B
МЗ	6,0	10,0	3	8,0	8,0	1000	MF368710B
М3	6,0	12,0	3	8,0	8,0	1000	MF368712BV
М3	6,0	15,0	3	8,0	10,0	1000	MF368715BV
М3	6,0	18,0	3	8,0	10,0	1000	MF368718BV
М3	6,0	20,0	3	8,0	10,0	1000	MF368720BV
МЗ	6,0	25,0	3	8,0	10,0	1000	MF368725BV

d	н	L	М	P1	P2	Minimum sales Quantity	sku
МЗ	6,0	30,0	3	8,0	10,0	1000	MF368730BV
МЗ	6,0	35,0	3	8,0	10,0	1000	MF368735BV
МЗ	6,0	40,0	3	8,0	10,0	1000	MF368740BV
М3	6,0	45,0	3	8,0	10,0	1000	MF368745BV
М3	6,0	50,0	3	8,0	10,0	1000	MF368750BV
М4	8,0	8,0	4	8,0	6,0	1000	MF488708BV
M4	8,0	10,0	4	8,0	6,0	1000	MF488710B
M4	8,0	12,0	4	8,0	10,0	1000	MF488712BV
M4	8,0	15,0	4	8,0	10,0	1000	MF488715BV
M4	8,0	18,0	4	8,0	10,0	1000	MF488718BV
M4	8,0	20,0	4	8,0	10,0	1000	MF488720BV
M4	8,0	25,0	4	8,0	10,0	1000	MF488725BV
M4	8,0	30,0	4	8,0	10,0	1000	MF488730BV
M4	8,0	35,0	4	8,0	10,0	1000	MF488735BV
M4	8,0	40,0	4	8,0	10,0	1000	MF488740BV
M4	8,0	45,0	4	8,0	10,0	1000	MF488745BV
M4	8,0	50,0	4	8,0	10,0	1000	MF488750BV
M5	10,0	8,0	5	8,0	6,0	1000	MF5108708B
M5	10,0	10,0	5	8,0	8,0	1000	MF5108710B
M5	10,0	12,0	5	8,0	10,0	1000	MF5108712B
M5	10,0	15,0	5	8,0	10,0	1000	MF5108715B

d	Н	L	М	P1	P2	Minimum sales Quantity	SKU
M5	10,0	18,0	5	8,0	10,0	1000	MF5108718B
M5	10,0	20,0	5	8,0	10,0	1000	MF5108720B
M5	10,0	25,0	5	8,0	10,0	1000	MF5108725B
M5	10,0	30,0	5	8,0	10,0	1000	MF5108730B
M5	10,0	35,0	5	8,0	10,0	1000	MF5108735B
M5	10,0	40,0	5	8,0	10,0	1000	MF5108740B
M5	10,0	45,0	5	8,0	10,0	1000	MF5108745B
M5	10,0	50,0	5	8,0	10,0	1000	MF5108750B





## **Bülte England**

37B Basepoint Centre Harts Farm Way Havant Hampshire PO9 1HS