


Threaded studs DIN 976



Details du produit

Description

Produced in set lengths starting at 200mm, threaded studs have the same advantages of a threaded rod in a length more suitable to your application. Available in natural nylon, our standard material from Bülte.

Qualities

It can be offered in various plastics on request, namely: POM, PP, PVDF, PTFE, gray PVC, red PVC. Resistant to impact and fatigue nylon threaded rods also provide good electrical insulation and can be offered by Bülte in other materials.

Advantages

Threaded studs with chamfered ends, these are parts conforming to DIN 976. This fully threaded bar is suitable for a complex assembly. The application of a nut that can secure this assembly as much as possible, and complete it.

usage

Use as a pin to fasten several parts together or for the hanging of support systems and many other possible applications.

d	L	Minimum sales Quantity	SKU
M10	200,0	10	97610200A
M10	250,0	10	97610250A
M10	300,0	10	97610300A
M10	400,0	10	97610400A
M10	500,0	10	97610500A
M10	600,0	10	97610600A
M10	700,0	10	97610700A

d	L	Minimum sales Quantity	SKU
M10	800,0	10	97610800A
M12	200,0	10	97612200A
M12	250,0	10	97612250A
M12	300,0	10	97612300A
M12	400,0	10	97612400A
M12	500,0	10	97612500A
M12	600,0	10	97612600A
M12	700,0	10	97612700A
M12	800,0	10	97612800A
M14	200,0	10	97614200A
M14	250,0	10	97614250A
M14	300,0	10	97614300A
M14	400,0	10	97614400A
M14	500,0	10	97614500A
M14	600,0	10	97614600A
M14	700,0	10	97614700A
M14	800,0	10	97614800A
M16	200,0	10	97616200A
M16	250,0	10	97616250A
M16	300,0	10	97616300A
M16	400,0	10	97616400A

d	L	Minimum sales Quantity	SKU
M16	500,0	10	97616500A
M16	600,0	10	97616600A
M16	700,0	10	97616700A
M16	800,0	10	97616800A
M4	200,0	10	9764200A
M4	250,0	10	9764250A
M4	300,0	10	9764300A
M4	400,0	10	9764400A
M4	500,0	10	9764500A
M4	600,0	10	9764600A
M4	700,0	10	9764700A
M4	800,0	10	9764800A
M5	200,0	10	9765200A
M5	250,0	10	9765250A
M5	300,0	10	9765300A
M5	400,0	10	9765400A
M5	500,0	10	9765500A
M5	600,0	10	9765600A
M5	700,0	10	9765700A
M5	800,0	10	9765800A
M6	200,0	10	9766200A

d	L	Minimum sales Quantity	SKU
M6	250,0	10	9766250A
M6	300,0	10	9766300A
M6	400,0	10	9766400A
M6	500,0	10	9766500A
M6	600,0	10	9766600A
M6	700,0	10	9766700A
M6	800,0	10	9766800A
M8	200,0	10	9768200A
M8	250,0	10	9768250A
M8	300,0	10	9768300A
M8	400,0	10	9768400A
M8	500,0	10	9768500A
M8	600,0	10	9768600A
M8	700,0	10	9768700A
M8	800,0	10	9768800A



Bülte England
37B Basepoint Centre Harts Farm Way Havant Hampshire PO9 1HS