


Threaded rods DIN 976



Details du produit

Description

Formerly designated DIN 975, nylon threaded rod/bar is a strong and lightweight fastener for use where a longer thread length is desirable. Supplied in 1 meter lengths, they are easy to cut to your desired length even in situ to suite the application.

Advantages

Nylon provides a stiff and durable fastener with good mechanical strength whilst remaining resistant to many contaminants such as oils and fuels, cold water and various chemicals.

Qualities

Resistant to impact and fatigue nylon threaded rods also provide good electrical insulation and can be offered by Bulte in other materials. Contact us for advise and assistance.

usage

Use as a pin to fasten several parts together or for the hanging of support systems such as cable trays and pipework and many other possible applications.

d	L	Minimum sales Quantity	SKU
M10	1 000,0	10	97510A
M10	1 000,0	10	97510L
M10	1 000,0	10	97510Y
M12	1 000,0	10	97512A
M12	1 000,0	10	97512L
M12	1 000,0	10	97512Y
M14	1 000,0	10	97514A

d	L	Minimum sales Quantity	SKU
M14	1 000,0	10	97514L
M14	1 000,0	10	97514Y
M16	1 000,0	10	97516A
M16	1 000,0	10	97516L
M16	1 000,0	10	97516Y
M18	1 000,0	10	97518A
M18	1 000,0	10	97518L
M18	1 000,0	10	97518Y
M20	1 000,0	10	97520A
M20	1 000,0	10	97520L
M20	1 000,0	10	97520Y
M24	1 000,0	10	97524A
M24	1 000,0	10	97524L
M24	1 000,0	10	97524Y
M30	1 000,0	10	97530A
M30	1 000,0	10	97530L
M30	1 000,0	10	97530Y
M4	1 000,0	10	9754A
M5	1 000,0	10	9755A
M5	1 000,0	10	9755L
M5	1 000,0	10	9755Y

d	L	Minimum sales Quantity	SKU
M6	1 000,0	10	9756A
M6	1 000,0	10	9756L
M6	1 000,0	10	9756Y
M8	1 000,0	10	9758A
M8	1 000,0	10	9758L
M8	1 000,0	10	9758Y



Bülte England
37B Basepoint Centre Harts Farm Way Havant Hampshire PO9 1HS