



Raised countersunk head screw DIN 964



Details du produit

Description

This metric countersunk head screw is manufactured to DIN964 standard. It has a slotted head to suite a flat screwdriver blade and is made from polyamide (nylon). Other materials are available on request.

Advantages

DIN 964 screws provide a clean and neat finish even though the screw head is exposed. The raised head profile allows a deeper slot for more positive screw driver tightening.

Qualities

Provides a light weight non corrosive, non conductive fastener with many other advantages over steel screws.

usage

For use where a flush surface is required with a more positive drive for tightening.

d	L	Minimum sales Quantity	SKU
M10	10,0	1000	9641010A
M10	12,0	1000	9641012A
M10	15,0	1000	9641015A
M10	17,0	1000	9641017A
M10	20,0	1000	9641020A
M10	25,0	1000	9641025A
M10	30,0	1000	9641030A

d	L	Minimum sales Quantity	SKU
M10	35,0	1000	9641035A
M10	40,0	1000	9641040A
M10	45,0	1000	9641045A
M10	50,0	1000	9641050A
M10	55,0	1000	9641055A
M10	65,0	1000	9641065A
M10	75,0	1000	9641075A
M10	85,0	1000	9641085A
M12	20,0	500	9641220A
M12	25,0	500	9641225A
M12	30,0	500	9641230A
M12	35,0	500	9641235A
M12	40,0	500	9641240A
M12	45,0	500	9641245A
M12	50,0	500	9641250A
M12	55,0	500	9641255A
M12	65,0	500	9641265A
M12	75,0	500	9641275A
M12	85,0	500	9641285A
M3	10,0	1000	964310A
M3	12,0	1000	964312A

d	L	Minimum sales Quantity	SKU
M3	16,0	1000	964316A
M3	20,0	1000	964320A
M3	25,0	1000	964325A
M3	30,0	1000	964330A
M3	35,0	1000	964335A
M3	5,0	1000	96435A
M3	6,0	1000	96436A
M3	8,0	1000	96438A
M4	10,0	1000	964410A
M4	12,0	1000	964412A
M4	16,0	1000	964416A
M4	20,0	1000	964420A
M4	25,0	1000	964425A
M4	30,0	1000	964430A
M4	35,0	1000	964435A
M4	40,0	1000	964440A
M4	6,0	1000	96446A
M4	8,0	1000	96448A
M5	10,0	1000	964510A
M5	12,0	1000	964512A
M5	15,0	1000	964515A

d	L	Minimum sales Quantity	SKU
M5	17,0	1000	964517A
M5	20,0	1000	964520A
M5	25,0	1000	964525A
M5	30,0	1000	964530A
M5	35,0	1000	964535A
M5	40,0	1000	964540A
M5	45,0	1000	964545A
M5	50,0	1000	964550A
M5	55,0	1000	964555A
M5	65,0	1000	964565A
M5	8,0	1000	96458A
M6	10,0	1000	964610A
M6	12,0	1000	964612A
M6	15,0	1000	964615A
M6	17,0	1000	964617A
M6	20,0	1000	964620A
M6	25,0	1000	964625A
M6	30,0	1000	964630A
M6	35,0	1000	964635A
M6	40,0	1000	964640A
M6	45,0	1000	964645A

d	L	Minimum sales Quantity	SKU
M6	50,0	1000	964650A
M6	55,0	1000	964655A
M6	65,0	1000	964665A
M6	75,0	1000	964675A
M6	85,0	1000	964685A
M6	8,0	1000	96468A
M8	10,0	1000	964810A
M8	12,0	1000	964812A
M8	15,0	1000	964815A
M8	17,0	1000	964817A
M8	20,0	1000	964820A
M8	25,0	1000	964825A
M8	30,0	1000	964830A
M8	35,0	1000	964835A
M8	40,0	1000	964840A
M8	45,0	1000	964845A
M8	50,0	1000	964850A
M8	55,0	1000	964855A
M8	65,0	1000	964865A
M8	75,0	1000	964875A
M8	85,0	1000	964885A



Bülte England

37B Basepoint Centre Harts Farm Way Havant Hampshire PO9 1HS