



Countersunk head screw DIN 965



Details du produit

Description

This metric countersunk head screw is manufactured to DIN965 standard. It has a philips style head to suite that style of screwdriver and is made from polyamide (nylon). Other materials are available on request.

Advantages

DIN 965 screws provide a clean and neat finish even though the screw head is exposed. Often used with a cap to protect the head.

Qualities

Provides a light weight non corrosive, non conductive fastener and many other advantages over steel screws.

usage

For use where a flush surface is required.

d	L	Minimum sales Quantity	SKU
M10	10,0	1000	9651010A
M10	12,0	1000	9651012A
M10	15,0	1000	9651015A
M10	17,0	1000	9651017A
M10	20,0	1000	9651020A
M10	25,0	1000	9651025A
M10	30,0	1000	9651030A

d	L	Minimum sales Quantity	SKU
M10	35,0	1000	9651035A
M10	40,0	1000	9651040A
M10	45,0	1000	9651045A
M10	50,0	1000	9651050A
M10	55,0	1000	9651055A
M10	65,0	1000	9651065A
M10	75,0	1000	9651075A
M10	85,0	1000	9651085A
M3	10,0	1000	965310A
M3	12,0	1000	965312A
M3	16,0	1000	965316A
M3	6,0	1000	96536A
M3	8,0	1000	96538A
M4	10,0	1000	965410A
M4	12,0	1000	965412A
M4	16,0	1000	965416A
M4	20,0	1000	965420A
M4	25,0	1000	965425A
M4	6,0	1000	96546A
M4	8,0	1000	96548A
M5	10,0	1000	965510A

d	L	Minimum sales Quantity	SKU
M5	12,0	1000	965512A
M5	15,0	1000	965515A
M5	17,0	1000	965517A
M5	20,0	1000	965520A
M5	25,0	1000	965525A
M5	30,0	1000	965530A
M5	35,0	1000	965535A
M5	40,0	1000	965540A
M5	45,0	1000	965545A
M5	50,0	1000	965550A
M5	55,0	1000	965555A
M5	65,0	1000	965565A
M5	8,0	1000	96558A
M6	10,0	1000	965610A
M6	12,0	1000	965612A
M6	15,0	1000	965615A
M6	17,0	1000	965617A
M6	20,0	1000	965620A
M6	25,0	1000	965625A
M6	30,0	1000	965630A
M6	35,0	1000	965635A

d	L	Minimum sales Quantity	SKU
M6	40,0	1000	965640A
M6	45,0	1000	965645A
M6	50,0	1000	965650A
M6	55,0	1000	965655A
M6	65,0	1000	965665A
M6	75,0	1000	965675A
M6	85,0	1000	965685A
M6	8,0	1000	96568A
M8	10,0	1000	965810A
M8	12,0	1000	965812A
M8	15,0	1000	965815A
M8	17,0	1000	965817A
M8	20,0	1000	965820A
M8	25,0	1000	965825A
M8	30,0	1000	965830A
M8	35,0	1000	965835A
M8	40,0	1000	965840A
M8	45,0	1000	965845A
M8	50,0	1000	965850A
M8	55,0	1000	965855A
M8	65,0	1000	965865A

d	L	Minimum sales Quantity	SKU
M8	75,0	1000	965875A
M8	85,0	1000	965885A



Bülte England
37B Basepoint Centre Harts Farm Way Havant Hampshire PO9 1HS