


# Knurled thumb screws 657



## Details du produit

### Description

This knurled screw, the head of which is 16 mm in diameter, is fully threaded in plastic. In addition, it is ideal for securing objects. The knurled screw is a strong and durable screw.

### Advantages

The knurled screw provides a better grip for advanced tightening.

### Qualities

The knurled screw 657 can be screwed in by hand.

### usage

Often used in industry, mechanics, aeronautics...

d	dI	D	h	H	L	Minimum sales Quantity	SKU
M4	8,0	16,0	3,5	8,5	10,0	5000	657410A
M4	8,0	16,0	3,5	8,5	12,0	5000	657412A
M4	8,0	16,0	3,5	8,5	16,0	5000	657416A
M4	8,0	16,0	3,5	8,5	20,0	5000	657420A
M4	8,0	16,0	3,5	8,5	25,0	5000	657425A
M4	8,0	16,0	3,5	8,5	6,0	5000	65746A
M4	8,0	16,0	3,5	8,5	8,0	5000	65748A
M5	8,0	16,0	3,5	8,5	10,0	5000	657510A

d	dI	D	h	H	L	Minimum sales Quantity	SKU
M5	8,0	16,0	3,5	8,5	12,0	5000	657512A
M5	8,0	16,0	3,5	8,5	16,0	5000	657516A
M5	8,0	16,0	3,5	8,5	20,0	5000	657520A
M5	8,0	16,0	3,5	8,5	25,0	5000	657525A
M5	8,0	16,0	3,5	8,5	30,0	5000	657530A
M5	8,0	16,0	3,5	8,5	35,0	5000	657535A
M5	8,0	16,0	3,5	8,5	40,0	5000	657540A
M5	8,0	16,0	3,5	8,5	6,0	5000	65756A
M5	8,0	16,0	3,5	8,5	8,0	5000	65758A
M6	8,0	16,0	3,5	8,5	10,0	5000	657610A
M6	8,0	16,0	3,5	8,5	12,0	5000	657612A
M6	8,0	16,0	3,5	8,5	16,0	5000	657616A
M6	8,0	16,0	3,5	8,5	20,0	5000	657620A
M6	8,0	16,0	3,5	8,5	25,0	5000	657625A
M6	8,0	16,0	3,5	8,5	30,0	5000	657630A
M6	8,0	16,0	3,5	8,5	35,0	5000	657635A
M6	8,0	16,0	3,5	8,5	40,0	5000	657640A
M6	8,0	16,0	3,5	8,5	45,0	5000	657645A
M6	8,0	16,0	3,5	8,5	50,0	5000	657650A
M6	8,0	16,0	3,5	8,5	6,0	5000	65766A
M6	8,0	16,0	3,5	8,5	8,0	5000	65768A



## Bülte England

37B Basepoint Centre Harts Farm Way Havant Hampshire PO9 1HS