


Knurled thumb screws 659



Details du produit

Description

This is a 16 mm diameter knurled screw with a fully threaded plastic base. It is an exclusive Bülte reference. Its base is provided with ridges on the perimeter of the base which gives it grip for easier tightening.

Advantages

They can be tightened and loosened without tools making them easy to use.

Qualities

All plastic, they are lighter and more practical than their zinc-plated steel counterparts.

usage

The head screw allows by its solidity and its resistance, allows to fix elements or to keep them in place. Often used in industry, mechanics, aeronautics...

d	dI	D	h	H	L	Minimum sales Quantity	SKU
M4	10,0	16,0	3,5	8,5	10,0	5000	659410A
M4	10,0	16,0	3,5	8,5	12,0	5000	659412A
M4	10,0	16,0	3,5	8,5	16,0	5000	659416A
M4	10,0	16,0	3,5	8,5	20,0	5000	659420A
M4	10,0	16,0	3,5	8,5	25,0	5000	659425A
M4	10,0	16,0	3,5	8,5	6,0	5000	65946A
M4	10,0	16,0	3,5	8,5	8,0	5000	65948A

d	dI	D	h	H	L	Minimum sales Quantity	SKU
M5	10,0	16,0	3,5	8,5	10,0	5000	659510A
M5	10,0	16,0	3,5	8,5	12,0	5000	659512A
M5	10,0	16,0	3,5	8,5	16,0	5000	659516A
M5	10,0	16,0	3,5	8,5	20,0	5000	659520A
M5	10,0	16,0	3,5	8,5	25,0	5000	659525A
M5	10,0	16,0	3,5	8,5	30,0	5000	659530A
M5	10,0	16,0	3,5	8,5	35,0	5000	659535A
M5	10,0	16,0	3,5	8,5	40,0	5000	659540A
M5	10,0	16,0	3,5	8,5	6,0	5000	65956A
M5	10,0	16,0	3,5	8,5	8,0	5000	65958A
M6	10,0	16,0	3,5	8,5	10,0	5000	659610A
M6	10,0	16,0	3,5	8,5	12,0	5000	659612A
M6	10,0	16,0	3,5	8,5	16,0	5000	659616A
M6	10,0	16,0	3,5	8,5	20,0	5000	659620A
M6	10,0	16,0	3,5	8,5	25,0	5000	659625A
M6	10,0	16,0	3,5	8,5	30,0	5000	659630A
M6	10,0	16,0	3,5	8,5	35,0	5000	659635A
M6	10,0	16,0	3,5	8,5	40,0	5000	659640A
M6	10,0	16,0	3,5	8,5	45,0	5000	659645A
M6	10,0	16,0	3,5	8,5	50,0	5000	659650A
M6	10,0	16,0	3,5	8,5	6,0	5000	65966A

d	dI	D	h	H	L	Minimum sales Quantity	SKU
M6	10,0	16,0	3,5	8,5	8,0	5000	65968A
M8	10,0	16,0	3,5	8,5	10,0	5000	659810A
M8	10,0	16,0	3,5	8,5	12,0	5000	659812A
M8	10,0	16,0	3,5	8,5	16,0	5000	659816A
M8	10,0	16,0	3,5	8,5	20,0	5000	659820A
M8	10,0	16,0	3,5	8,5	25,0	5000	659825A
M8	10,0	16,0	3,5	8,5	30,0	5000	659830A
M8	10,0	16,0	3,5	8,5	35,0	5000	659835A
M8	10,0	16,0	3,5	8,5	40,0	5000	659840A
M8	10,0	16,0	3,5	8,5	45,0	5000	659845A
M8	10,0	16,0	3,5	8,5	50,0	5000	659850A
M8	10,0	16,0	3,5	8,5	60,0	5000	659860A
M8	10,0	16,0	3,5	8,5	6,0	5000	65986A
M8	10,0	16,0	3,5	8,5	8,0	5000	65988A



Bülte England

37B Basepoint Centre Harts Farm Way Havant Hampshire PO9 1HS