


Knurled thumb screws PLAS 80



Details du produit

Description

It is a fully threaded 14.5 mm diameter knurled screw. The PLAS 80 has a base that is narrower than its head, namely 10.5 mm in diameter. Its knurling allows elements to be fixed without tools.

Advantages

It is resistant, insulating and non-corrosive, it can be fixed with tools, but also manually.

Qualities

Its slotted head allows it to use different screwdrivers.

usage

They can be used in industrial sectors.

d	d1	D	h	H	L	Minimum sales Quantity	SKU
M4	10,0	14,5	3,5	8,5	10,0	5000	PLAS80410A
M4	10,0	14,5	3,5	8,5	12,0	5000	PLAS80412A
M4	10,0	14,5	3,5	8,5	16,0	5000	PLAS80416A
M4	10,0	14,5	3,5	8,5	20,0	5000	PLAS80420A
M4	10,0	14,5	3,5	8,5	25,0	5000	PLAS80425A
M4	10,0	14,5	3,5	8,5	6,0	5000	PLAS8046A
M4	10,0	14,5	3,5	8,5	8,0	5000	PLAS8048A
M5	10,0	14,5	3,5	8,5	10,0	5000	PLAS80510A

d	dI	D	h	H	L	Minimum sales Quantity	SKU
M5	10,0	14,5	3,5	8,5	12,0	5000	PLAS80512A
M5	10,0	14,5	3,5	8,5	16,0	5000	PLAS80516A
M5	10,0	14,5	3,5	8,5	20,0	5000	PLAS80520A
M5	10,0	14,5	3,5	8,5	25,0	5000	PLAS80525A
M5	10,0	14,5	3,5	8,5	30,0	5000	PLAS80530A
M5	10,0	14,5	3,5	8,5	35,0	5000	PLAS80535A
M5	10,0	14,5	3,5	8,5	40,0	5000	PLAS80540A
M5	10,0	14,5	3,5	8,5	6,0	5000	PLAS8056A
M5	10,0	14,5	3,5	8,5	8,0	5000	PLAS8058A
M6	10,0	14,5	3,5	8,5	10,0	5000	PLAS80610A
M6	10,0	14,5	3,5	8,5	12,0	5000	PLAS80612A
M6	10,0	14,5	3,5	8,5	16,0	5000	PLAS80616A
M6	10,0	14,5	3,5	8,5	20,0	5000	PLAS80620A
M6	10,0	14,5	3,5	8,5	25,0	5000	PLAS80625A
M6	10,0	14,5	3,5	8,5	30,0	5000	PLAS80630A
M6	10,0	14,5	3,5	8,5	35,0	5000	PLAS80635A
M6	10,0	14,5	3,5	8,5	40,0	5000	PLAS80640A
M6	10,0	14,5	3,5	8,5	45,0	5000	PLAS80645A
M6	10,0	14,5	3,5	8,5	50,0	5000	PLAS80650A
M6	10,0	14,5	3,5	8,5	6,0	5000	PLAS8066A
M6	10,0	14,5	3,5	8,5	8,0	5000	PLAS8068A

d	dI	D	h	H	L	Minimum sales Quantity	SKU
M8	10,0	14,5	3,5	8,5	10,0	5000	PLAS80810A
M8	10,0	14,5	3,5	8,5	12,0	5000	PLAS80812A
M8	10,0	14,5	3,5	8,5	16,0	5000	PLAS80816A
M8	10,0	14,5	3,5	8,5	20,0	5000	PLAS80820A
M8	10,0	14,5	3,5	8,5	25,0	5000	PLAS80825A
M8	10,0	14,5	3,5	8,5	30,0	5000	PLAS80830A
M8	10,0	14,5	3,5	8,5	35,0	5000	PLAS80835A
M8	10,0	14,5	3,5	8,5	40,0	5000	PLAS80840A
M8	10,0	14,5	3,5	8,5	45,0	5000	PLAS80845A
M8	10,0	14,5	3,5	8,5	50,0	5000	PLAS80850A
M8	10,0	14,5	3,5	8,5	60,0	5000	PLAS80860A
M8	10,0	14,5	3,5	8,5	6,0	5000	PLAS8086A
M8	10,0	14,5	3,5	8,5	8,0	5000	PLAS8088A



Bülte England
37B Basepoint Centre Harts Farm Way Havant Hampshire PO9 1HS