


Pan head screws with 6 lobe ~ ISO 7380



Details du produit

Description

This is a six lobe Torx style drive screw with a large button style head. This is a six lobe Torx style drive screw with a large button style head.

Advantages

Torx drive screws are becoming more and more popular in industry due to the higher torque possible with this drive system.

Qualities

Resists impact, vibration, external contaminants and has excellent electrical insulation.

usage

Often preferred in the automotive and components industries to other fastener styles.

d	D	h	L	T	Minimum sales Quantity	SKU
M4	7,7	2,2	10,0	20	5000	7380410TXA
M4	7,7	2,2	12,0	20	5000	7380412TXA
M4	7,7	2,2	16,0	20	5000	7380416TXA
M4	7,7	2,2	20,0	20	5000	7380420TXA
M4	7,7	2,2	25,0	20	5000	7380425TXA
M4	7,7	2,2	30,0	20	5000	7380430/25TXA
M4	7,7	2,2	6,0	20	5000	738046TXA
M4	7,7	2,2	8,0	20	5000	738048TXA

d	D	h	L	T	Minimum sales Quantity	SKU
M5	9,5	2,8	10,0	25	5000	7380510TXA
M5	9,5	2,8	12,0	25	5000	7380512TXA
M5	9,5	2,8	16,0	25	5000	7380516TXA
M5	9,5	2,8	20,0	25	5000	7380520TXA
M5	9,5	2,8	25,0	25	5000	7380525TXA
M5	9,5	2,8	30,0	25	5000	7380530TXA
M5	9,5	2,8	35,0	25	5000	7380535TXA
M5	9,5	2,8	40,0	25	5000	7380540TXA
M5	9,5	2,8	45,0	25	5000	7380545TXA
M5	9,5	2,8	50,0	25	5000	7380550TXA
M5	9,5	2,8	6,0	25	5000	738056TXA
M5	9,5	2,8	8,0	25	5000	738058TXA
M6	10,5	3,3	10,0	30	5000	7380610TXA
M6	10,5	3,3	12,0	30	5000	7380612TXA
M6	10,5	3,3	16,0	30	5000	7380616TXA
M6	10,5	3,3	20,0	30	5000	7380620TXA
M6	10,5	3,3	25,0	30	5000	7380625TXA
M6	10,5	3,3	30,0	30	5000	7380630TXA
M6	10,5	3,3	35,0	30	5000	7380635TXA
M6	10,5	3,3	40,0	30	5000	7380640TXA
M6	10,5	3,3	45,0	30	5000	7380645TXA

d	D	h	L	T	Minimum sales Quantity	SKU
M6	10,5	3,3	50,0	30	5000	7380650TXA
M6	10,5	3,3	60,0	30	5000	7380660TXA
M6	10,5	3,3	6,0	30	5000	738066TXA
M6	10,5	3,3	8,0	30	5000	738068TXA
M8	14,0	4,4	10,0	40	5000	7380810TXA
M8	14,0	4,4	12,0	40	5000	7380812TXA
M8	14,0	4,4	16,0	40	5000	7380816TXA
M8	14,0	4,4	20,0	40	5000	7380820TXA
M8	14,0	4,4	25,0	40	5000	7380825TXA
M8	14,0	4,4	30,0	40	5000	7380830TXA
M8	14,0	4,4	35,0	40	5000	7380835TXA
M8	14,0	4,4	40,0	40	5000	7380840TXA
M8	14,0	4,4	45,0	40	5000	7380845TXA
M8	14,0	4,4	50,0	40	5000	7380850TXA
M8	14,0	4,4	60,0	40	5000	7380860TXA
M8	14,0	4,4	6,0	40	5000	738086TXA
M8	14,0	4,4	8,0	40	5000	738088TXA

