


Hex head screws ~ ISO 4017/ Plastilockscrew ®



Details du produit

Description

The Plastilockscrew was specially designed by Bülte. It is a fully threaded hex head screw with a tapered base. Thanks to its conical base, it ensures perfect locking and anti-vibration. It replaces the locknuts and captive washers.

Advantages

This screw allows the screw to be driven in more easily. This is an exclusive Bülte product.

Qualities

This screw is a derivative of the hexagon head screw DIN 933.

usage

This plastilockscrew is often used for industry, carpentry... Please note: The finish of each piece may differ according to the reference chosen. Depending on the mold, the surface may be more or less rough. For pearlescent or metallic colors, streaks and color nuances may appear at the weld line. Illustrations are not contractual.

d	H	I	L	Minimum sales Quantity	SKU
M10	5,0	5,0	11,0	1000	PLS1011/6A
M10	5,0	5,0	13,0	1000	PLS1013/8A
M10	5,0	5,0	15,0	1000	PLS1015/10A
M10	5,0	5,0	21,0	1000	PLS1021/16A
M10	5,0	5,0	25,0	1000	PLS1025/20A
M10	5,0	5,0	30,0	1000	PLS1030/25A

d	H	I	L	Minimum sales Quantity	SKU
M10	5,0	5,0	35,0	1000	PLS1035/30A
M10	5,0	5,0	40,0	1000	PLS1040/35A
M12	5,0	5,0	11,0	1000	PLS1211/6A
M12	5,0	5,0	13,0	1000	PLS1213/8A
M12	5,0	5,0	15,0	1000	PLS1215/10A
M12	5,0	5,0	21,0	1000	PLS1221/16A
M12	5,0	5,0	25,0	1000	PLS1225/20A
M12	5,0	5,0	30,0	1000	PLS1230/25A
M12	5,0	5,0	35,0	1000	PLS1235/30A
M12	5,0	5,0	40,0	1000	PLS1240/35A
M12	5,0	5,0	50,0	1000	PLS1250/45A
M5	5,0	5,0	11,0	1000	PLS511/6A
M5	5,0	5,0	13,0	1000	PLS513/8A
M5	5,0	5,0	15,0	1000	PLS515/10A
M5	5,0	5,0	21,0	1000	PLS521/16A
M5	5,0	5,0	25,0	1000	PLS525/20A
M5	5,0	5,0	30,0	1000	PLS530/25A
M6	5,0	5,0	11,0	1000	PLS611/6A
M6	5,0	5,0	13,0	1000	PLS613/8A
M6	5,0	5,0	15,0	1000	PLS615/10A
M6	5,0	5,0	21,0	1000	PLS621/16A

d	H	I	L	Minimum sales Quantity	SKU
M6	5,0	5,0	25,0	1000	PLS625/20A
M6	5,0	5,0	30,0	1000	PLS630/25A
M8	5,0	5,0	11,0	1000	PLS811/6A
M8	5,0	5,0	13,0	1000	PLS813/8A
M8	5,0	5,0	15,0	1000	PLS815/10A
M8	5,0	5,0	21,0	1000	PLS821/16A
M8	5,0	5,0	25,0	1000	PLS825/20A
M8	5,0	5,0	30,0	1000	PLS830/25A
M8	5,0	5,0	35,0	1000	PLS835/30A
M8	5,0	5,0	40,0	1000	PLS840/35A



Bülte England
37B Basepoint Centre Harts Farm Way Havant Hampshire PO9 1HS