


Washers DIN 9021 ISO 7093



Details du produit

Description

Wide flat washer, standardised to DIN 9021 . It is available in the catalogue in several materials : natural or black polyamide, 30% glass-fibre reinforced nylon, natural and black PP, white PTFE. Among flat washers, the DIN 9021 washer is a wide washer that provides a large bearing surface between the screw head and the support to which it is fastened. Bülte offers a wide range of sizes, from M2.5 to M20.

Advantages

The DIN 9021 wide flat washer distributes pressure and protects the contact surface by limiting friction. Thanks to the range of materials available, it is suitable for all types of assembly, whether plastic, metal or plasto-metallic.

Qualities

Lightweight, wide and robust, our DIN 9021 flat washer absorbs shocks and vibrations and provides electrical insulation for your assemblies.

usage

Mainly used in the mechanical and construction sectors, it is also suitable for many other applications. This washer can be made from a variety of materials, making it ideal for use in sectors such as aeronautics, medical, rail and maritime. Please note: Illustrations are non-contractual.

d	D	h	M	Minimum sales Quantity	SKU
10,5	30,0	2,5	10	1000	902110A
10,5	30,0	2,5	10	1000	902110AV
10,5	30,0	2,5	10	1000	902110B
10,5	30,0	2,5	10	1000	902110J
10,5	30,0	2,5	10	1000	902110PVCS
10,5	30,0	2,5	10	10000	902110X

d	D	h	M	Minimum sales Quantity	SKU
10,5	30,0	2,5	10	1000	902110Y
13,0	40,0	3,0	12	1000	902112A
13,0	37,0	3,0	12	1000	902112AN
13,0	37,0	3,0	12	1000	902112AVN
13,0	37,0	3,0	12	1000	902112BN
13,0	40,0	3,0	12	1000	902112J
13,0	37,0	3,0	12	1000	902112JN
13,0	40,0	3,0	12	1000	902112PVCS
13,0	37,0	3,0	12	1000	902112PVCSN
13,0	37,0	3,0	12	10000	902112XN
13,0	37,0	3,0	12	1000	902112YN
15,0	44,0	3,0	14	1000	902114A
15,0	44,0	3,0	14	1000	902114B
15,0	44,0	3,0	14	1000	902114J
15,0	44,0	3,0	14	1000	902114PVCS
17,0	50,0	3,0	16	500	902116A
17,0	50,0	3,0	16	1000	902116AV
17,0	50,0	3,0	16	500	902116B
17,0	50,0	3,0	16	1000	902116J
17,0	50,0	3,0	16	1000	902116PVCS
17,0	50,0	3,0	16	5000	902116X

d	D	h	M	Minimum sales Quantity	SKU
17,0	50,0	3,0	16	500	902116Y
19,0	56,0	4,0	18	500	902118A
19,0	56,0	4,0	18	1000	902118AV
19,0	56,0	4,0	18	500	902118B
19,0	56,0	4,0	18	1000	902118J
19,0	56,0	4,0	18	1000	902118PVCS
19,0	56,0	4,0	18	5000	902118X
19,0	56,0	4,0	18	500	902118Y
2,7	8,0	0,8	2,5	1000	90212.5A
2,7	8,0	0,8	2,5	1000	90212.5J
22,0	60,0	4,0	20	500	902120A
22,0	60,0	4,0	20	1000	902120AV
22,0	60,0	4,0	20	500	902120B
22,0	60,0	4,0	20	1000	902120J
22,0	60,0	4,0	20	1000	902120PVCS
22,0	60,0	4,0	20	5000	902120X
22,0	60,0	4,0	20	500	902120Y
2,2	6,0	0,8	2	1000	90212J
3,7	11,0	0,8	3,5	1000	90213.5A
3,2	9,0	0,8	3	1000	90213A
3,2	9,0	0,8	3	1000	90213AV

d	D	h	M	Minimum sales Quantity	SKU
3,2	9,0	0,8	3	1000	90213B
3,2	9,0	0,8	3	1000	90213J
3,2	9,0	0,8	3	20000	90213X
3,2	9,0	0,8	3	1000	90213Y
4,3	12,0	1,0	4	1000	90214A
4,3	12,0	1,0	4	1000	90214AV
4,3	12,0	1,0	4	1000	90214B
4,3	12,0	1,0	4	1000	90214J
4,3	12,0	1,0	4	1000	90214PVCS
4,3	12,0	1,0	4	20000	90214X
4,3	12,0	1,0	4	1000	90214Y
5,3	15,0	1,5	5	1000	90215A
5,3	15,0	1,2	5	1000	90215AN
5,3	15,0	1,2	5	1000	90215AVN
5,3	15,0	1,2	5	1000	90215BN
5,3	15,0	1,2	5	1000	90215JN
5,3	15,0	1,5	5	1000	90215PVCS
5,3	15,0	1,2	5	20000	90215XN
5,3	15,0	1,2	5	1000	90215YN
6,4	18,0	1,6	6	1000	90216A
6,4	18,0	1,6	6	1000	90216AV

d	D	h	M	Minimum sales Quantity	SKU
6,4	18,0	1,6	6	1000	90216B
6,4	18,0	1,5	6	1000	90216J
6,4	18,0	1,5	6	1000	90216PVCS
6,4	18,0	1,6	6	10000	90216X
6,4	18,0	1,6	6	1000	90216Y
7,4	22,0	2,0	7	1000	90217A
8,4	25,0	2,0	8	1000	90218A
8,4	24,0	2,0	8	1000	90218AN
8,4	24,0	2,0	8	1000	90218AVN
8,4	24,0	2,0	8	1000	90218BN
8,4	24,0	2,0	8	1000	90218JN
8,4	24,0	2,0	8	1000	90218PVCSN
8,4	24,0	2,0	8	10000	90218XN
8,4	24,0	2,0	8	1000	90218YN



Bülte England

37B Basepoint Centre Harts Farm Way Havant Hampshire PO9 1HS