


Threaded round hole plugs for tubes



Details du produit

Description

These plugs for round tubes have a threaded hole through the centre to accept a jacking screw or threaded foot for height adjustment.

Advantages

All the advantages of the standard tube plug with height and level adjustability available.

Qualities

Manufactured in polyamide for strength these plugs are robust and well. Depending on the mould, the surface of the plastic cap can be more or less rough.

usage

For use in any industry using round tubes and tubing. General fabrication, conveyors and light machinery construction, frame making etc..

C	d	D	M	Minimum sales Quantity	SKU
1,5-2,0	M10	22,0	10	100	BPT22BTARM10
1,5-2,0	M8	22,0	8	100	BPT22BTARM8
1,5-2,0	M10	25,0	10	100	BPT25BTARM10
1,5-2,0	M12	25,0	12	100	BPT25BTARM12
1,5-2,0	M8	25,0	8	100	BPT25BTARM8
1,5-2,0	M10	28,0	10	100	BPT28BTARM10
1,5-2,0	M12	28,0	12	100	BPT28BTARM12

C	d	D	M	Minimum sales Quantity	SKU
1,5-2,0	M8	28,0	8	100	BPT28BTARM8
1,5-2,0	M10	30,0	10	100	BPT30BTARM10
1,5-2,0	M12	30,0	12	100	BPT30BTARM12
1,5-2,0	M8	30,0	8	100	BPT30BTARM8
1,5-2,0	M10	32,0	10	100	BPT32BTARM10
1,5-2,0	M12	32,0	12	100	BPT32BTARM12
1,5-2,0	M8	32,0	8	100	BPT32BTARM8
1,5-2,0	M10	35,0	10	100	BPT35BTARM10
1,5-2,0	M12	35,0	12	100	BPT35BTARM12
1,5-2,0	M8	35,0	8	100	BPT35BTARM8
1,5-2,0	M10	38,0	10	100	BPT38BTARM10
1,5-2,0	M12	38,0	12	100	BPT38BTARM12
1,5-2,0	M8	38,0	8	100	BPT38BTARM8
1,5-2,0	M10	40,0	10	100	BPT40BTARM10
1,5-2,0	M12	40,0	12	100	BPT40BTARM12
1,5-2,0	M8	40,0	8	100	BPT40BTARM8
1,5-2,0	M10	42,0	10	100	BPT42BTARM10
1,5-2,0	M8	42,0	8	100	BPT42BTARM8



Bülte England

37B Basepoint Centre Harts Farm Way Havant Hampshire PO9 1HS