

Bülte

Allen screw caps DIN 912





Details du produit

Description

This range of screw caps is designed for Allen socket screws DIN 912 (cap heads) and countersunk Allen socket screws DIN 7991. Two forms are available, form A is a flat cap and form B is a domed cap. DIN 912 caps protect the screw socket and the hole when the screw is sunk into the part and the DIN 7991 protects the screw socket and countersink.

Advantages

Protect the screw head and drive socket from external contamintion

Qualities

For protection and or aesthetics. Can also be rquested in colours of the RAL colour range.

usage

Used through out industries using these types of screw, including mechanical engineering. Please note : The finish of each piece may differ according to the reference chosen. Depending on the mold, the surface may be more or less rough. Illustrations are not contractual.

d	D	F	h	H	M	S	Minimum sales Quantity	SKU
4,2	18,0	A	1,1	3,8	5	4	1000	35000E
4,2	18,0	A	1,1	3,8	6	4	1000	35000F
15,5	19,0	B	2,5	6,7	16	14	1000	35010E
15,5	19,0	B	2,5	6,7	17	14	1000	35010F
5,3	18,0	A	0,9	4,8	6	5	1000	35051E
5,3	18,0	A	0,9	4,8	8	5	1000	35051F

d	D	F	h	H	M	S	Minimum sales Quantity	SKU
5,3	11,5	B	2,2	4,8	6	5	1000	35052E
5,3	11,5	B	2,2	4,8	8	5	1000	35052F
5,3	10,0	B	1,2	4,2	6	5	1000	35053E
5,3	10,0	B	1,2	4,2	8	5	1000	35053F
4,2	14,5	B	2,1	5,0	5	4	1000	35060E
4,2	14,5	B	2,1	5,0	6	4	1000	35060F
4,2	13,0	B	1,5	4,5	5	4	1000	35100E
4,2	13,0	B	1,5	4,5	6	4	1000	35100F
4,1	12,5	B	2,1	4,9	5	4	1000	35101E
4,1	12,5	B	2,1	4,9	6	4	1000	35101F
13,2	17,5	B	2,3	10,6	14	12	1000	35132E
13,2	17,5	B	2,3	10,6	15	12	1000	35132F
10,0	13,0	B	2,1	5,2	12	10	1000	351501E
10,0	13,0	B	2,1	5,2	13	10	1000	351501F
4,2	10,0	A	1,1	4,1	5	4	1000	35150E
4,2	10,0	A	1,1	4,1	6	4	1000	35150F
3,1	12,0	B	1,9	4,4	4	3	1000	35154E
3,1	12,0	B	1,9	4,4	5	3	1000	35154F
3,2	9,0	B	1,2	3,5	4	3	1000	35155E
3,2	9,0	B	1,2	3,5	5	3	1000	35155F
6,0	13,0	B	1,7	7,3	8	6	1000	35450E

d	D	F	h	H	M	S	Minimum sales Quantity	SKU
6,0	13,0	B	1,7	7,3	9	6	1000	35450F
8,5	15,0	B	2,1	8,8	10	8	1000	35800E
8,5	15,0	B	2,1	8,8	11	8	1000	35800F

Bülte England

37B Basepoint Centre Harts Farm Way Havant Hampshire PO9 1HS